

RECHTHOEKIG
RECTANGULAIRE
RECTANGULAR
RECHTECKIG

HAM - JAMBON - SCHINKEN

	bestel n°	lengte	breedte	diepte	inhoud (lit)
	n° de réf.	longueur	largeur	profondeur	contenu l.
	order n°	length	width	depth	content l.
	bestell n°	länge	breite	tiefe	inhalt l.
1.004.000	S 00	263	77	75	1,5
1.004.001	S 0A	262	126	95	3,2
1.004.002	S 0	270	130	130	4,6
1.004.006	S 1	260	140	135	5
1.004.008	S 2	262	150	150	6
1.004.008	S 2,5	240	152	152	6,5
1.004.010	S 3	280	155	155	6,6
1.004.012	S 3 L	280	155	113	5
1.004.016	S 3 W	277	154	128	5,5
1.004.014	S 3 M	280	155	136	6
1.004.018	S 4	271	141	124	4,7
1.004.020	S 6	253	155	120	4,7
1.004.025	S 7 K/20	200	180	149	5,4
1.004.026	S 7 K/21	210	180	149	5,6
1.004.027	S 7 K/22	210	200	145	6
1.004.022	S 7	245	184	154	7
1.004.023	S 7 K	240	180	149	6,4
1.004.024	S 7 KB	240	180	149	6,4
1.004.040	SE 1	130	120	138	2,2
1.004.046	SE 4	268	172	140	6,6
1.004.048	SE 4 B	268	172	140	6,6
1.004.050	SE 5	290	157	135	6,3
1.004.043	SE 5 P	290	157	135	6,3
1.004.051	SE 5 R	290	157	135	6,3
1.004.054	SE 52	290	155	135	6,2
1.004.056	SE 6	305	177	150	8,2
1.004.060	SE 6 P	305	177	150	8,2
1.004.062	SE 7	290	180	147	7,8
1.004.064	SE 9	470	170	140	11
1.004.044	N° 691	223	141	134	4,2
1.004.004	N° 692	270	130	130	4,6
1.004.052	N° 693	290	157	135	6,3
1.004.058	N° 694	305	177	150	8,2





DS 9,5 B



DS 12 A



DS 11 TP



VS 9



VBZ/R

	bestel n°	lengte	breedte	diepte	inhoud (lit)
	n° de réf.	longueur	largeur	profondeur	contenu l.
	order n°	length	width	depth	content l.
	bestell n°	länge	breite	tiefe	inhalt l.
1.004.106	DS 7	330	163	113	6,1
1.004.076	DS 8	430	163	113	8
1.004.080	DS 9	337	199	152	10
1.004.084	DS 9,5 B	390	200	150	12
1.004.083	DS 9.7	430	167	160	11,5
1.004.085	DS 9.7 T	430	167	160	11,5
1.004.085B	DS 9.7 TC	430	167	160	11,5
1.004.003	DS 9.8	430	157	150	10,2
1.004.082	DS 9,5	390	200	150	12
1.004.086	DS 10	410	182	150	11,6
1.004.088	DS 10 B	410	182	150	11,6
1.004.090	DS 10,5	407	176	144	10,3
1.004.092	DS 11	415	200	165	14
1.004.094	DS 11 B	415	200	165	14
1.004.096	DS 11L	415	200	140	11,8
1.004.098	DS 11W	410	215	150	13,2
1.004.099	DS 11V	500	240	130	16,2
1.004.102	DS 12	530	175	140	13,3
1.004.101	DS 12 A	420	173	148	10,7
1.004.103	DS 13	465	170	160	13
1.004.104	DS 14	445	205	165	15
1.004.107	DS 15	550	220	150	18,1
1.004.105	DS 20	700	200	165	14
		Tussenplaat	Plaque	Plate	Platte
1.004.110	DS 9.5 TP	375	190		
1.004.112	DS 11 TP	400	190		
1.004.113	DS 14 TP	430	190		
1.004.118	VS 3	321	87	98	2,7
1.004.120	VS 4	420	75	110	3,5
1.004.122	VS 5	680	85	93	5,6
1.004.124	VS 6	420	90	150	6
1.004.126	VS 9	415	138	167	9,6
1.004.132	FP 1	232	106	110	2,8
1.004.136	VBZ	250	125	125	4
1.004.138	VBZ/R	250	125	125	4
1.004.140	VBV	500	123	138	8,5



	bestel n°	lengte	breedte	diepte	inhoud (lit)
	n° de réf.	longueur	largeur	profondeur	contenu l.
	order n°	length	width	depth	content l.
	bestell n°	länge	breite	tiefe	inhalt l.
1.004.142	N° 698	250	104	124	3,2
1.004.144	N° 698 B	250	104	124	3,2
1.004.146	N° 699 D	318	104	110	3,7
1.004.148	N° 699 T	318	104	110	3,7
1.004.150	N° 699 G	318	104	112	3,7
1.004.149	N° 699 TL	550	104	110	6,2
1.004.152	SH 2	232	117	108	3
1.004.154	SH 4	355	117	108	4,7
1.004.155	SH 4 D	700	117	100	8,5
1.004.156	SH 6	405	115	125	6
1.008.023	SH 7	520	135	135	9,7
1.004.206	SN 1	413	171	107	7,5
1.004.208	SN 3	300	100	100	3
1.004.212	SN 5	543	100	100	5,3
1.004.213	SN 5.5	537	115	102	6,4
1.004.214	SN 5 H	543	100	110	6
1.004.215	SN 5 HL	800	100	110	8,8
1.004.216	SN 6	600	117	120	8,5
1.004.220	SN 70	700	168	92	11
1.004.162	GB 2	400	138	123	6,7
1.004.164	GB 2 G	400	138	123	6,7
1.004.170	FR 1	160	110	87	1,6
1.004.171	FR 2	170	120	100	2
1.004.173	FR 2 H	170	120	130	2,7
1.004.172	FR 3	200	160	150	4,8
1.004.174	FR 4	220	170	120	4,5
1.004.176	FR 5	195	170	145	4,7
1.004.178	FR 5 I	insert			
1.004.179	FR 5.5	265	190	135	6,8
1.004.180	FR 6	220	180	154	6
1.004.184	FR 6 L	220	180	140	5,6
1.004.182	FR 6 R	220	180	150	6
1.004.186	FR 65	250	190	145	7
1.004.188	FR 7	327	168	116	6,4
1.004.193	FR 7.5	550	161	80	7,2
1.004.190	FR 8	310	190	145	8,8
1.004.189	FR 8.5	210	210	150	7,5
1.004.191	FR 9	229	179	145	6
1.004.175	FR 10	180	150	165	4,3
1.030.008	KS 6	330	180	130	6.5
1.030.010	KS 7	380	180	130	7,4





	bestel n°	lengte	breedte	diepte	inhoud (lit)
	n° de réf.	longueur	largeur	profondeur	contenu l.
	order n°	length	width	depth	content l.
	bestell n°	länge	breite	tiefe	inhalt l.
1.004.198	FR 11	400	175	195	13,5
1.004.203	FR 12	360	100	100	3,8
1.004.204	FR 13	115	170	85	1,7
1.004.205	FR 14	440	155	130	8,8
1.004.185	FR 15	210	160	135	4,5
1.004.185	FR 16	220	150	100	3,3
1.004.181	FR 17	430	150	100	6,4
1.004.192	FR 20	750	180	135	18,8
1.004.195	FR 30	900	120	125	14
1.004.197	FR 31	800	205	120	20
1.004.196	D 700	700	175	150	18
1.004.200	C 1 B	284	180	142	7,2
1.004.202	C 1	284	180	142	7,2
86.400.430	SI 50	225	120	120	3
86.400.431	SI 51	275	140	140	5,4
86.400.431.1	SI 52	250	150	150	4,5
86.400.431.2	SI 53	300	140	130	5
86.400.431.3	SI 54	300	145	125	5,5
86.400.431.4	SI 55	276	163	140	6
86.400.431.5	SI 56	300	185	140	7
86.400.443	SI 57	242	242	110	5,8
86.500.512	SI 58	250	100	120	2,5
86.400.431.6	SI 59	310	178	150	7
86.500.512.24	SI 60	230	170	103	4
86.500.512.16	SI 61	285	210	190	11,3
86.500.512.13	SI 62 + □□	285	110	190	6
86.500.512.11	SI 64	800	165	130	17
86.500.512.12	SI 65	550	104	110	6,3
86.500.512.30	SI 66	210	160	135	4,5
86.500.512.33	SI 67	900	110	120	11,9
86.500.512.36	SI 68	700	160	120	13,4
86.500.512.38	SI 69	900	100	110	10
86.500.512.39	SI 70	470	100	125	5,9
86.512.501	SI 71	255	197	150	7,5
Op maat					
Sur mesure					
On demand					